

CL120 Kit (Components - CL121 and MN141)

Version: 1.1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision date: 07/23/2013
Supersedes: 04/11/2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Trade name : CL121 Evaporator Odor Eliminator

Product code : CL121

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Foaming cleanser used to eliminate air conditioning evaporator odors.

1.3. Details of the supplier of the safety data sheet

Tire Seal, Inc. 3574 Corona Street 33461 Lake Worth, Florida - USA T 561-582-2245 - F 561-582-1499

1.4. Emergency telephone number

Emergency number : (352) 472-7295

DGA/AAG ENVIRONMENTAL Contract No. 10-057

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

Other hazards not contributing to the

classification

: Contains gas under pressure; may burst if heated.

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention

First-aid measures after skin contact

mouth. If breathing is difficult give oxygen. Get medical attention.

Remove contaminated clothing. Wash material off of the skin with plenty of soap and water. If

First-aid measures after eye contact

redness, itching, or a burning sensation develops, get medical attention.

Move to fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; Remove any contact lenses if present. Seek immediate medical attention.

First-aid measures after ingestion

: Do not give anything by mouth. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : BC powder. Foam. Carbon dioxide.

23/07/2013 EN (English US) 1/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

: Ventilate area. **Emergency procedures**

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect Methods for cleaning up

spillage. Store away from other materials.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and

when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Conditions for safe storage, including any incompatibilities

: Do not store above 120°F. Avoid Extreme heat, open flames or sparks. Storage conditions

Incompatible materials : Strong oxidizers.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

8.2. **Exposure controls**

Personal protective equipment : Avoid all unnecessary exposure.

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Hand protection

Suggested protective material: Nitrile, 4.5 mil thickness, tested at 3.5 ml and above with no

breakthrough time after 240 minutes. Wear protective gloves.

Chemical goggles or safety glasses. Eye protection

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid.

Appearance Clear-hazy liquid. Color Colorless. Odor : Citrus odor. Odor threshold : No data available 10.2 - 10.6

Relative evaporation rate (butyl acetate=1)

Melting point : No data available Freezing point : No data available

: > 93 °C Boiling point

Flash point : No data available Self ignition temperature : No data available

23/07/2013 EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure No data available Relative vapor density at 20 °C No data available Relative density : No data available Density : 0.98 - 1 a/ml Solubility Soluble in water. Log Pow No data available Log Kow : No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic Explosive properties No data available Oxidizing properties : No data available **Explosive limits** : No data available

9.2. Other information

VOC content : 10.51 %

SECTION 10: Stability and reactivity

Reactivity

No additional information available

Chemical stability

Not established.

Possibility of hazardous reactions 10.3.

Not established.

Conditions to avoid 10.4.

Do not expose to heat or store at temperatures above 120°F.

Incompatible materials

Strong oxidizers.

Hazardous decomposition products

Carbon monoxide. Carbon Dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

 Not classified Acute toxicity

diethyleneglycolmonoethyl ether (111-90-0)	
LD50 oral rat	5445 mg/kg (Rat)
LD50 dermal rat	5940 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 5.2 mg/l/4h (Rat)

Skin corrosion/irritation : Not classified pH: 10.2 - 10.6 : Not classified Serious eye damage/irritation pH: 10.2 - 10.6 Respiratory or skin sensitization

Not classified Germ cell mutagenicity Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Based on available data, the classification criteria are not met

: Based on available data, the classification criteria are not met Aspiration hazard

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

23/07/2013 EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

diethyleneglycolmonoethyl ether (111-90-0)		
LC50 fish 1	12900 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Flow-through system)	
EC50 Daphnia 1	3940 mg/l (48 h; Daphnia magna)	
EC50 other aquatic organisms 1	10661 mg/l (Echinoidea; GROWTH)	
LC50 fish 2	9650 mg/l (96 h; Pimephales promelas; Flow-through system)	

12.2. Persistence and degradability

CL121 Evaporator Odor Eliminator	
Persistence and degradability	Not established.

diethyleneglycolmonoethyl ether (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.20 g O ² /g substance	
Chemical oxygen demand (COD)	1.85 g O²/g substance	
ThOD	1.9078849 g O ² /g substance	
BOD (% of ThOD)	0.11 % ThOD	

12.3. Bioaccumulative potential

CL121 Evaporator Odor Eliminator	
Bioaccumulative potential	Not established.

diethyleneglycolmonoethyl ether (111-90-0)	
Log Pow	-1.190.08
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

diethyleneglycolmonoethyl ether (111-90-0)	
Surface tension	0.032 N/m (25 °C)

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No.(DOT) : 1950

14.2. UN proper shipping name

DOT Proper Shipping Name : Aerosols, LTD QTY

Department of Transportation (DOT) Hazard

Classes

: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : Limited Quantity



14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

23/07/2013 EN (English US) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard

SDS US (GHS HazCom 2012) - TSI

This information is furnished without warranty, expressed or implied, except that is accurate to the best knowledge of Tire Seal, Inc. The data on this sheet related only to the specific material designed herein. Tire Seal, Inc. assumes no legal responsibility for the use or reliance upon these data.

23/07/2013 EN (English US) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 12/22/2014 Supersedes:08/27/2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form

Trade name : MN141 Odor Buster New Car Scent

Product code : MN141

Relevant identified uses of the substance or mixture and uses advised against

: Automotive interior odor neutralizer. Use of the substance/mixture

Details of the supplier of the safety data sheet

Tire Seal, Inc. 3574 Corona Street

33461 Lake Worth, Florida - USA T 561-582-2245 - F 561-582-1499

www.supercool.ac

Emergency telephone number

: USA PHONE:1-800-373-7542. INT'L: 1-484-951-2432 Emergency number

DGA/AAG ENVIRONMENTAL CONTRACT: DGA4000-048

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 2 H225 Carc. 1A H350

Full text of H-phrases: see section 16

Label elements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)



CHS02

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H225 - Highly flammable liquid and vapor

H350 - May cause cancer

Precautionary statements (GHS-US) P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P308+P313 - If exposed or concerned: Get medical advice/attention

P370+P378 - In case of fire: Use Foam, Dry powder, Carbon dioxide, to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents / container in accordance with local / regional / national /

international regulations.

Other hazards

Other hazards not contributing to the classification

: Contains gas under pressure; may burst if heated.

Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

Not applicable

Full text of H-phrases: see section 16

22/12/2014 EN (English US) 6/11

Version: 2.1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2	N	1	X	tι	ır	е

Name	Product identifier	%	Classification (GHS-US)
ethanol	(CAS No) 64-17-5	60 - 100	Flam. Liq. 2, H225 Carc. 1A, H350

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air. Apply artificial respiration if necessary. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Wash material off of the skin with plenty of soap and water. If redness, itching, or a burning sensation develops, get medical attention. Wash contaminated clothing before reuse. Rinse

sensation develops, get medical attention. Wash contaminated clothing before reuse. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

- : Pressurized container: Do not pierce or burn, even after use.
- : Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Intentional misuse by deliberately concentrating and inhaling the contents of this product may be harmful or fatal. Keep away from heat, sparks, open flames and any sources of ignition. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

22/12/2014 EN (English US) 7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose

to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Do not store in direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible materials. Store in accordance with NFPA 30B for Level 1 Aerosols.

Incompatible materials : Strong oxidizers.

Storage temperature : < 48 °C Do not store in passenger compartment of automobile.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-propanol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	200 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : The use of gloves impervious to the specific material handled is advised to prevent skin

contact. Suggested protective material: Nitrile, 4.5 mil thickness, tested at 3.5 ml and above

with no breakthrough time after 240 minutes. Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Color : Colorless.
Odor : Characteristic.
Odor threshold : No data available
pH : No data available

Relative evaporation rate (butyl acetate=1) : > 1

Melting point : No data available
Freezing point : No data available

Boiling point : $> 38 \, ^{\circ}\text{C}$

Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Log Pow : No data available Log Kow : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available **Explosive limits** : No data available

9.2. Other information

VOC content : 28.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

22/12/2014 EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chemical stability

Product is stable.

Possibility of hazardous reactions 10.3.

Not established.

Conditions to avoid 10.4.

Do not expose to heat or store at temperatures above 120°F. Heat. Open flame. Sparks.

Incompatible materials

Avoid contact with strong oxidizers.

Hazardous decomposition products

Carbon monoxide. Carbon Dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

: Not classified Acute toxicity

2-propanol (67-63-0)	
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE CLP (oral)	5045.000 mg/kg body weight
ATE CLP (dermal)	12870.000 mg/kg body weight
ATE CLP (vapors)	73.000 mg/l/4h
ATE CLP (dust, mist)	73.000 mg/l/4h

Skin corrosion/irritation : Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Based on available data, the classification criteria are not met

Carcinogenicity : May cause cancer.

2-propanol (67-63-0)

IARC group 3

Reproductive toxicity : Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Based on available data, the classification criteria are not met

Aspiration hazard : Based on available data, the classification criteria are not met Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

Toxicity

2-propanol (67-63-0)		
LC50 fish 1 4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)		
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)	
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)	
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)	
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)	
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)	

Persistence and degradability 12.2.

MN141 Odor Buster New Car Scent		
Persistence and degradability	Not established.	
2-propanol (67-63-0)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance	
ThOD	2.40 g O ₂ /g substance	

22/12/2014 EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)		
BOD (% of ThOD)	0.49 % ThOD
12.3.	Bioaccumulative potential	
MN14	1 Odor Buster New Car Scent	

Bioaccumulative potential Not established.		
2-propanol (67-63-0)		
Log Pow 0.05 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

12.4. Mobility in soil

2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)

: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 1950

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Aerosols, LTD QTY

Department of Transportation (DOT) Hazard

Classes

Hazard labels (DOT) : Limited Quantity



14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

MN141 Odor Buster New Car Scent		
WHMIS Classification	Class B Division 1 - Flammable Gas	
	Class A - Compressed Gas	
	Class B Division 2 - Flammable Liquid	

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225

22/12/2014 EN (English US) 10/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

MN141 Odor Buster New Car Scent

All components of this product are listed or are not regulated U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

15.3. US State regulations

MN141 Odor Buster New Car Scent()	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

2-propanol (67-63-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

Carc. 1A	Carcinogenicity Category 1A
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H350	May cause cancer


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



SDS US (GHS HazCom 2012) - TSI

This information is furnished without warranty, expressed or implied, except that is accurate to the best knowledge of Tire Seal, Inc. The data on this sheet related only to the specific material designed herein. Tire Seal, Inc. assumes no legal responsibility for the use or reliance upon these data.

22/12/2014 EN (English US) 11/11