

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 12/22/2014 Supersedes:10/21/2014

Version: 2.2

	Revision date: 12/22/2014	Supersedes:10/21/2014	Version: 2.2
SECTION 1: Identification of t	he substance/mixture and	of the company/undertaking	
1.1. Product identifier			
Product form	: Mixture		
Trade name	: MN142 Odor Buster F	lorida Breeze Scent	
Product code	: MN142		
1.2. Relevant identified uses of t	he substance or mixture and use	es advised against	
Use of the substance/mixture	: Automotive interior od	or neutralizer.	
1.3. Details of the supplier of the	safety data sheet		
Tire Seal, Inc. 3574 Corona Street 33461 Lake Worth, Florida - USA T 561-582-2245 - F 561-582-1499 www.supercool.ac			
1.4. Emergency telephone numb	er		
Emergency number		73-7542, INT'L: 1-484-951-2432 /IENTAL CONTRACT: DGA4000-048	
SECTION 2: Hazards identifica	ation		
2.1. Classification of the substan	ice or mixture		
Classification (GHS-US) Flam. Liq. 2 H225 Carc. 1A H350 Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS02	SHS08	
Signal word (GHS-US)	: Danger	11508	
Hazard statements (GHS-US)	: H225 - Highly flammal	ole liquid and vapor	
	H350 - May cause car		
Precautionary statements (GHS-US)	P202 - Do not handle P210 - Keep away fro P233 - Keep container P240 - Ground/bond c P241 - Use explosion- P242 - Use only non-s P243 - Take precautio P280 - Wear protective P303+P361+P353 - If skin with water/showe P308+P313 - If expose P370+P378 - In case o P403+P235 - Store in P405 - Store locked u	container and receiving equipment proof electrical/ventilating/lighting equipment sparking tools mary measures against static discharge e gloves/protective clothing/eye protection/face prote on skin (or hair): Take off immediately all contaminat r ed or concerned: Get medical advice/attention of fire: Use Foam, Dry powder, Carbon dioxide, to ex a well-ventilated place. Keep cool p tents / container in accordance with local / regional /	ng ection ted clothing. Rinse tinguish
2.3. Other hazards			
Other hazards not contributing to the classification	: Contains gas under pr	essure; may burst if heated.	
2.4. Unknown acute toxicity (GH	S-US)		
No data available			
SECTION 3: Composition/info	rmation on ingredients		
3.1. Substance			

Not applicable

Full text of H-phrases: see section 16

22/12/2014

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2.	Mixture				
Name	•		Product identifier	%	Classification (GHS-US)
ethano	1		(CAS No) 64-17-5	60 - 100	Flam. Liq. 2, H225 Carc. 1A, H350
SECT	ION 4: First aid measures				
4.1.	Description of first aid measures				
First-aid	d measures general		ever give anything by mouth to an unc lvice (show the label where possible).		you feel unwell, seek medical
First-aid measures after inhalation : Remove the victim into fresh air. Apply artificial respiration if necessary. If you feel unwel medical advice.					if necessary. If you feel unwell, seek
First-aid	First-aid measures after skin contact : Wash material off of the skin with plenty of soap and water. If redness, itching, or a burning sensation develops, get medical attention. Wash contaminated clothing before reuse. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.				
First-aid	d measures after eye contact		nse immediately with plenty of water. ersist.	Obtain medical atte	ention if pain, blinking or redness
First-aid	d measures after ingestion	: Do	o not induce vomiting. Get immediate	medical attention.	
4.2.	Most important symptoms and effe	cts, bo	th acute and delayed		
Sympto	oms/injuries	: No	ot expected to present a significant ha	zard under anticipa	ted conditions of normal use.
4.3. No add	Indication of any immediate medication and information available	l atter	tion and special treatment needed		
SECT	ION 5: Firefighting measures				
5.1.	Extinguishing media				
	e extinguishing media	: Fo	oam. Dry powder. Carbon dioxide.		
5.2.	Special hazards arising from the su	bstan	ce or mixture		
	itional information available				
5.3.	Advice for firefighters				
	ting instructions		se water spray or fog for cooling expo emical fire.	sed containers. Exe	ercise caution when fighting any
Protect	ion during firefighting	: Do	o not enter fire area without proper pro	otective equipment,	including respiratory protection.
SECT	ION 6: Accidental release mea	sure	5		
6.1.	Personal precautions, protective e	luipme	ent and emergency procedures		
6.1.1.	For non-emergency personnel				
Emerge	ency procedures	: E\	acuate unnecessary personnel.		
_	For emergency responders ive equipment ency procedures		quip cleanup crew with proper protecti entilate area.	on.	
6.2.	Environmental precautions				
	t entry to sewers and public waters. Noti	y auth	prities if liquid enters sewers or public	waters.	
6.3.	Methods and material for containm				
	s for cleaning up	: So	bak up spills with inert solids, such as illage.	clay or diatomaceo	us earth as soon as possible. Collec
6.4.	6.4. Reference to other sections				
See He	ading 8. Exposure controls and persona	protec	ction.		
SECT	ION 7: Handling and storage				
7.1.	Precautions for safe handling				
Addition	nal hazards when processed	: Pr	essurized container: Do not pierce or	burn, even after us	е.
Precau	tions for safe handling	: Co	ontents under pressure. Keep out of i	each of children. R	Read label cautions carefully. Follow

Precautions for safe handling : Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Intentional misuse by deliberately concentrating and inhaling the contents of this product may be harmful or fatal. Keep away from heat, sparks, open flames and any sources of ignition. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2.	Conditions for safe storage, including any incompatibilities			
Storage	e conditions	: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Do not store in direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible materials. Store in accordance with NFPA 30B for Level 1 Aerosols.		
Incomp	atible materials	: Strong oxidizers.		
Storage	e temperature	: < 48 °C Do not store in passenger compartment of automobile.		
7.3.	Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/personal protection

0.4	O a set set a	
8.1.	Control	parameters

o.r. oontror parameters				
2-propanol (67-63-0)				
USA ACGIH	ACGIH TWA (ppm)	200 ppm		
USA ACGIH	ACGIH STEL (ppm)	200 ppm		
8.2. Exposure controls	I			
Personal protective equipment	: Avoid all unnecessary exposure.			
Hand protection : The use of gloves impervious to the specific material handled is advised to prevent skin contact. Suggested protective material: Nitrile, 4.5 mil thickness, tested at 3.5 ml and above with no breakthrough time after 240 minutes. Wear protective gloves.				
Eye protection	protection : Chemical goggles or safety glasses.			
Respiratory protection	: In case of insufficient ventilation, v	: In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask.		
Other information	: Do not eat, drink or smoke during use.			

SECTION 9: Physical and chemical	properties			
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Appearance	: Clear.			
Color	: Colorless.			
Odor	: Floral.			
Odor threshold	: No data available			
рН	: No data available			
Relative evaporation rate (butyl acetate=1)	: >1			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: > 38 °C			
Flash point	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: No data available			
Vapor pressure	: No data available			
Relative vapor density at 20 °C	: No data available			
Relative density	: No data available			
Solubility	: No data available			
Log Pow	: No data available			
Log Kow	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
Explosive limits	: No data available			
9.2. Other information				
VOC content	: 28.1 %			
SECTION 10: Stability and reactivit	у			
10.1. Reactivity				

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2.	Chemical stability					
Product	is stable.					
10.3.	Possibility of hazardous reactions					
Not esta	Not established.					
10.4.	Conditions to avoid					
Do not e	expose to heat or store at temperatures above 120°F. Heat. Open flame. Sparks.					
10.5.	Incompatible materials					
Avoid co	Avoid contact with strong oxidizers.					
10.6.	Hazardous decomposition products					
Carbon monoxide. Carbon Dioxide.						
SECTION 11: Toxicological information						
11.1.	Information on toxicological effects					

Acute toxicity

: Not classified

2-propanol (67-63-0)		
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)	
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)	
ATE CLP (oral)	5045.000 mg/kg body weight	
ATE CLP (dermal)	12870.000 mg/kg body weight	
ATE CLP (vapors)	73.000 mg/l/4h	
ATE CLP (dust, mist)	73.000 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Based on available data, the classification criteria are not met	
Carcinogenicity	: May cause cancer.	
2-propanol (67-63-0)		
IARC group	3	
Reproductive toxicity	: Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: Not classified	
pecific target organ toxicity (repeated xposure)	: Based on available data, the classification criteria are not met	
spiration hazard	: Based on available data, the classification criteria are not met	
otential Adverse human health effects and ymptoms	: Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

12.1. Toxicity

2-propanol (67-63-0)	
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)
12.2. Persistence and degradability	
MN142 Odor Buster Florida Breeze Scent	
Persistence and degradability	Not established.
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O 2 /g substance
Chemical oxygen demand (COD)	2.23 g O 2substance
ThOD	2.40 g O 2 /g substance

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)	
BOD (% of ThOD)	0.49 % ThOD
12.3. Bioaccumulative potential	
MN142 Odor Buster Florida Breeze Scent	
Bioaccumulative potential	Not established.
2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
· · · · · · · · · · · · · · · · · · ·	
2-propanol (67-63-0) Surface tension	0.004 N/m (25.%C)
Surface tension	0.021 N/m (25 °C)
12.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ons
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	ADN
14.1. UN number	
JN-No.(DOT)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Aerosols, LTD QTY
Department of Transportation (DOT) Hazard Classes	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: Limited Quantity
14.3. Additional information	•
Other information	: No supplementary information available.
Overland transport No additional information available Transport by sea No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory informatio	n
15.1. US Federal regulations	
No additional information available	
15.2. International regulations	
CANADA	
MN142 Odor Buster Florida Breeze Scent	
WHMIS Classification	Class B Division 1 - Flammable Gas
WHMIS Classification	Class A - Compressed Gas

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

MN142 Odor Buster Florida Breeze Scent

All components of this product are listed or are not regulated U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

15.3. US State regulations

MN142 Odor Buster Florida Breeze Scent()				
U.S California - Propositio	on 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
2-propanol (67-63-0)	2-propanol (67-63-0)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity -	U.S California - Proposition 65 - Reproductive Toxicity -	No significance risk level (NSRL)
		Female	Male	

SECTION 16: Other information

No

Other information

No

: None.

No

Full text of H-phrases: see section 16:

Carc. 1A	Carcinogenicity Category 1A
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H350	May cause cancer


No

NFPA health hazard

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard NFPA reactivity : 0 - Materials that will not burn.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



SDS US (GHS HazCom 2012) - TSI

This information is furnished without warranty, expressed or implied, except that is accurate to the best knowledge of Tire Seal, Inc. The data on this sheet related only to the specific material designed herein. Tire Seal, Inc. assumes no legal responsibility for the use or reliance upon these data.